



To solve a solution of safe and high polishing performance, wide range of wool felt polishing accessories are ready for you to choose:

- ▶ Wool Felt disc
- ▶ Mounted wool felt flap wheel
- ▶ Felt points
- ▶ Felt pads
- ▶ Miniature polishing point


# WOOL FELT DISCS

## General information



### CHARACTERS

- ▶ Felt materials can be made of different density, thicknesses and hardness, with fibre-glass backing or plastic backing.
  - ▶ Firmer version is suggested to polish flat components and prepare for finer processing. The softer version is more suitable for more gloss and shining surface.
  - ▶ Four different shapes allow the felt discs to apply to complicated geometries.
- Flat Type  
Metal backing flat type  
Fan Type  
Vertical Type
- ▶ High flexible and comfort finishing



### APPLICATIONS:

Polishing and mirror finishing, cleansing the surface of non-ferrous metal, metal, steel, stainless steel and other products as well as the concave convex inner groove. The main purpose is to polish in the last step of the process, cleanliness can achieve mirror effect.

### USAGES:

- ▶ Apply with different grits polishing paste and polishing pasta bars.
- ▶ The cooperating polishing speed should be under 5-10m/s.
- ▶ The mirror effect can be obtained by polishing and repairing with low speed straight grinders.

### OTHER INFORMATION:

Backing available: Plastic and Fibre-glass  
Inner Hole: 15mm, 16mm, 22mm, M14  
Other dimensions, thickness, density and hardness can be custom by your needs



TABLE:

Production code	Diameter D (mm)	Hole Diameter d (mm)	Package	Type			
				Flat	Metal backing flat	Fan	Vertical
YP10016	100	16	10pcs/box	●	●	●	●
YP11522	115	22		●		●	●
YP12522	125	22		●		●	●
YP15022	150	22		●		●	●
YP18022	180	22		●		●	●

Other dimensions custom please visit [www.kytools.cn](http://www.kytools.cn) or send to [beibei.liu@kytools.cn](mailto:beibei.liu@kytools.cn)

# WOOL FLAP WHEELS



## General information

This version is good to apply for round components and holes, flap wheels design is good for heat.



TABLE:

Production code	Diameter (mm)	Height (mm)	Handle length (mm)	Shank Diameter (mm)		Package	Density	The highest speed (rpm)
				3	6			
Y3010	30	10	30	●		150pcs	According to order requirements	17100
Y3020	30	20		●				
Y3025	30	25			●	150pcs		
Y3030	30	30			●			
Y4025	40	25	35		●	100pcs		15500
Y4030	40	30			●			
Y5025	50	25			●	70pcs		13700
Y5030	50	30			●			
Y6025	60	25			●	50pcs		11500
Y6030	60	30			●			
Y8025	80	25			●	30pcs	8600	
Y8030	80	30			●			

Other dimensions custom please visit [www.kytools.cn](http://www.kytools.cn) or send to [beibei.liu@kytools.cn](mailto:beibei.liu@kytools.cn)



## General information

Shape: Cylinder, conical

Tools: Flexible shaft driver, straight grinder

Hardness: Medium

Color: White




TABLE:

Production code	Diameter (mm)	Height (mm)	Handle length (mm)	Shank Diameter (mm)		The highest speed (rpm)	Running speed (rpm)	Package
				3	6			
MY03103	3	10	30	●		119000	23000	100pcs/bag
MY04123	4	12	30	●				
MY05103	5	10	30	●		79500	16000	
MY06103	6	10	30	●				
MY08103	8	10	30	●		59500	12000	
MY10123	10	12	30	●				
MY12183	12	18	30	●		47500	10000	
MY14163	14	16	30	●				
MY15203	15	20	30	●		31500	6000	
MY15206	15	20	35		●			
MY15306	15	30	35		●			
MY16163	16	16	30	●		23500	5000	
MY16203	16	20	30	●				
MY16206	16	20	35		●			
MY18203	18	20	30	●		19000	4000	
MY18206	18	20	35		●			
MY20203	20	20	30	●		15500	3200	
MY20206	20	20	35		●			
MY20253	20	25	30	●		10000	3000	
MY20256	20	25	35		●			
MY25256	25	25	35		●	8000	2800	
MY30206	30	20	35		●			
MY30256	30	25	35		●	7500	2000	
MY30306	30	30	35		●			
MY40256	40	25	35		●	15500	3200	
MY40306	40	30	35		●			
MY50256	50	25	35		●	19000	4000	
MY75306	75	30	35		●			

Other dimensions custom please visit [www.kytools.cn](http://www.kytools.cn) or send to [beibei.liu@kytools.cn](mailto:beibei.liu@kytools.cn)